


Technical specification for evaluation of groundwater pollution administer effect in
nonferrous metal mining areas

4.1

1



1

4.2

5.1

5.2

HJ 25.1

5.3

1

3 4

4

80 m×80 m

40 m×40 m

HJ 25.2 2019 6.2.2

60%

6 m

3 m

500 m³

1~2

6.2

HJ 25.6

1~2

1

6.3

C .S /16/

DZ/T 0288 DZ/T 0388 HJ 25.1 HJ 25.2 2019

VOCs

HJ 1019

HJ

25.2 2019 HJ 91.2

6.4

GB/T 14848

HJ 164

HJ 91.2

GB

36600

7.1

HJ 25.6

GB 36600

HJ

25.3

7.2

C

8.1

8.2

/

HJ 1209 2021

1

1

2 ~3 1

8.3

			/		
m		m		m	
m		m			
m		m			
g/L					
SIM					

..

r

:

————— A 0

t

, *t*

,

L ——— A 1

—

Z

1	a
2	
2.1	
2.2	
2.3	
3	
3.1	
3.2	
3.3	
3.4	
4	
4.1	
4.2	
5	
5.1	
5.2	
5.3	
5.4	
6	
6.1	
6.2	
6.3	
6.4	
6.5	
7	
7.1	
7.2	
7.3	
8	
8.1	
8.2	
8.3	
9	
9.1	
9.2	
10	b

- ∅ FA 255//
 - ∅ C .S /277
 - ∅ C .S /177
 - ∅ C .S /16/
 - ∅ GI 14 0
 - ∅ GI 141 1/08
 - ∅ GI 142
 - ∅ GI 144
 - ∅ GI 145
 - ∅/ GI 382
 - ∅0 GI 52/
 - ∅1 GI 801
 - ∅2 GI 01/8 1/10
 - ∅3 A.S 103
-